Sunsail 38 3-Cabin

Specifications and Equipment List - Sunsail Upgrades In Bold

DECK & HULL

- Prisma Process®, ISO gelcoat surface, discontinuous balsa block coring
- Solid, hand-laid fibreglass, ISO gelcoat surface, protective barrier coat
- Inner fibreglass grid, high-load zones, cut out drainage system through structure
- Sunsail striping and graphics
- Open bow pulpit (stainless steel)
- Stern pushpits in stainless steel with flag holder, horseshoe buoy with bracket
- Outboard engine bracket
- Double stemhead anchor roller
- Double uncoated lifelines (stainless steel) on starboard and port with opening gates
- Toerail
- 6 x Aluminium mooring cleats
- · Handrails on coachroof
- 4 x Fixed hull ports
- 2 x Opening cockpit and roof ports
- 6 x Lateral fixed windows
- 1 x Opening and 1 x fixed ports integrated into lateral windows
- 4 x Opening deck hatches
- Wood inlay on cockpit bench seating
- Cockpit locker under bench seat and lazarette locker under port helm seat
- Liferaft locker between helm seats
- Storage compartment for companionway door in cockpit locker
- Large opening transom door and aft, fold-down swim platform with ladder
- Large GRP cockpit table
- Gas locker in lazarette under starboard helm seat, cut-off valve under stove
- 2 x Steering wheels, (stainless steel) handrail
- 2 x Mounted steering compasses
- Emergency tiller with fitting in cockpit floor
- Throttle and engine control panel mounted at starboard helm, engine panel includes RPM gauge, warning lights, ignition
- Fibreglass rudder
- Shoal keel
- Bimini and dodger
- 12v 1000w Electric windlass with 10mm gypsey, hand control wired direct and cockpit chain counter
- Transom protection

SALOON/INTERIOR

- · Finished in Fine Teak laminate panels, trimmed in solid wood protected with UV stabilized varnish
- Combination shade/insect screens for deck hatches
- Light oak composite floorboards
- Headroom: 5'11" / 6'4" (1,81m / 1,92m)
- U-shaped seating area to starboard, wrap-around cushions and storage under seating area
- Storage cabinets along hull sides
- Lounge seating to port with plush cushions and upper storage
- Companionway steps with molded non-slip surface
- Hasp on companionway hatch
- Plexiglass companionway door with dedicated storage location
- Faux leather saloon cushions
- Floor board edges are coated with resin to deter water damage
- Mosquito screens for portlights

GALLEY

- Headroom: 6'2" / 1,88m
- L-shaped galley to starboard with glass separator between galley counter and seating area
- Storage compartment for books and magazines built into the galley façade
- Double stainless steel sinks with covers, solid countertops, chrome plumbing fittings, storage cabinets and drawers
- ENO 2-burner stove with black finish, wood handle, stainless steel oven/broiler
- 12v refrigeration in single fridge box (180L / 47USgal) with freezer area, wire baskets and integrated compressor; top opening
- Propane solenoid cut-off valve

NAVIGATION CONSOLE

- Full function navigation station with general electrical panel and bookshelf
- Hanging locker

PLUMBING INSTALLATION

- Transom shower with hot and cold water mixer
- Roto moulded water tank 200L / 87USgal under the forward berth with deck fill
- Extra fresh water tank 130L / 34USgal
- Hot and cold water distributed throughout the boat via semi-rigid hose
- Water pump and accumulator tank
- Electric bilge pump on float switch and manual dual-action pump in cockpit
- Digital water level display
- Shower pumps equipped with individual electric pumps with filters and on-off switches
- Bilge pump filter and exhaust
- 40L / 10USgal hot water heater connected to engine heat exchanger and 110v electrical system

ENGINE & CONTROLS

- Yanmar 3YM30 29HP diesel engine with sail drive
- 3-Blade fixed propeller
- Fully soundproofed engine compartment with engine access behind stairwell and from aft cabin
- Fuel/water separator
- Built-in muffler, forced air ventilation and stainless steel exhaust fitting aft
- 1 Rotomoulded diesel tank 130L / 34USgal
- Racor Fuel filter clear bowl and metal flame deflector

MAST, RIGGING & SAILS

- Custom heavy duty battened charter mainsail
- · Charter upgrade, heavy duty furling genoa with red UV protection strips
- Stackpack LazyJack system in Sunsail blue with logo
- Harken mainsail traveller with ball-bearing cars and control lines led aft to cockpit
- Genoa tracks on side decks with adjustable lead cars
- Line stoppers on both sides of coachroof with return blocks
- 2 Self-tailing primary sheet winches (H46.2 STA)
- 1 x Self-tailing halyard winches (H35.2 STC)
- 2 x Winch handles
- Running rigging polyester topping lift, main halyard, genoa halyard, mainsheet, genoa sheets, reefing lines
- 2 x Reefing lines
- Mainsheet and genoa sheet led to helm station with stoppers
- Classic anodized aluminum mast and boom with customized, reinforced fittings and double spreaders
- Standing rigging is discontinuous wire 1 x 19
- Double backstay
- Rigid boom vang
- ProFurl furling system
- Windex wind vane

ELECTRICAL INSTALLATION

- 110v / 220v circuit shore power, outlets, distributor shore power cable wired direct
- 12 x 110v or 220v cabin outlets
- 12v / 125Ah alternator
- Charge distributor/isolator
- 1 x 80ah engine starter battery
- House battery bank -- 4 AGM batteries totalling 200ah
- Positive battery switch for engine and house bank in aft cabin
- Electric panel with 12v breakers, 110v or 220v breakers, 12v consumption meter, 12v charging meter
- 12v plug per cabin and at nav station
- LED lights throughout
- Battery charger 60amp
- Fusion Radio / Mp3 player + 2 interior speakers + 2 cockpit speakers
- LED Navigation lights
- 1 x USB plug per cabin
- Shore power air conditioning
- 9" Multifunction touchscreen display in cockpit with fixed pod (WIFI enabled)
- 2 x Tridata
- 1 x Autopilot control head
- Hydraulic linear drive autopilot

- Depth sounder & anenometer windvane
- Fans in saloon and all cabins
- VHF
- 1 x 50w Solar panel

FORWARD CABIN

- Max headroom: 6' / 1,84m
- Double centerline berth with high-density foam mattress
- 2 x Deep cabinets with shelves and hanging rod
- White vinyl lining on hull with lateral wood shelf
- 1 x Opening deck hatch, for light and ventilation

AFT CABINS

- Headroom: 6ft 3in / 1,90m
- Twin aft cabins
- Double berth with high-density foam mattress
- 1 x Deep cabinet with shelves and hanging rod
- · White vinyl lining on hull with lateral wood shelf

AFT HEAD

- Sink, clothes hook, mirror, towel holder, toilet paper holder, cabinet above sink
- Large bowl electric marine toilet with individual holding tank
- Standing shower separated by a PMMA shower screen
- Shower sump with automatic drainage system

SAFETY GEAR

- Primary (stainless steel) and secondary (galvinized) anchors
- 6 x Fenders
- 6 x Mooring / dock lines
- Life jackets and safety harnesses per max pax
- Bell
- Flare Kit
- Binoculars
- Navigation tools: Parallel rule, compass, dividers

CRUISING GEAR

- Plates, cups, saucers, glasses per max pax
- Bed linens per max pax
- Flatware per max pax
- Pots, pans, miscellaneous food prep tools
- Cooking and serving utensils
- Coffee pot, tea kettle, toaster
- Snorkeling gear per max pax
- Towels and washcloths



SPECIFICATIONS

Length Overall: 11.34m/37ft 2in

Waterline

10.40m/35ft 1in

Length: Beam:

3.76m/12ft 4in

Draft:

1.50m/4ft 11in

Displacement:

6280kg/13845lb

Fuel Capacity:

130L/34gal

Water Capacity: 330L/87gal

70sqm/754sqft

Engines:

Sail Area:

29hp