Sunsail Lagoon 505

Specifications and Equipment List - Sunsail Upgrades In Bold (Preliminary)

CONSTRUCTION

- · Composition : Polyester and high quality anti-osmotic resin
- Hull, deck and roof laminated by infusion
- Balsa core hull, solid laminate under water line, white gel coat
- Balsa core bridge deck and deck
- Marine plywood bulkheads

DECK LAYOUT

TRANSOM

- Hot/cold deck shower on starboard
- Stainless steel swim ladder with handle on starboard
- Stainless steel dinghy hoist system (electric)

AFT COCKPIT

- Large cockpit usable as a deck salon, protected by a hard top bimini
- Bench with large storage locker on portside
- Large foldable teak table with cover
- Exterior furniture on starboard :
 - Sink integrated to the composite furniture
 - Corian top
 - Tray and cup holder
 - Double door with shelves for storage
- Lazy-boy/seat on starboard with large storage locker
- Removable cockpit bench with upholstery
- Aft beam configuration:
 - Locker at portside + swiveling plancha
 - Gas locker at starboard
- Fitted cockpit cushions
- Composite washboard on cockpit sides
- Pushpits
- Pullpits with wooden seats
- Stanchions : H 610mm
- 2 ranges of lifelines
- 12V 21 us gal / 80L cockpit fridge

FLYBRIDGE

- 2 staircases to access from the deck, integrated to the roof
- Large bench with backrest, helm seat
- Sun pad cushions
- Access and large storage locker under the sun pads
- Composite bimini
- Ergonomic helm station with :
 - Leather covered steering wheel and brake
 - Engine throttle and panel
 - Console for screen and instrumentation
 - Cup holder
 - Halyards and sheets storage

FORWARD COCKPIT

- 2 large storage locker under seats
- Cockpit cushions
- Trampoline with nylon thread

WINDOWS, OPENING AND VENTILATION

- Sliding door
- Deck hatches :
 - Flush deck hatch T10 (quantity 6)
 - Flush deck hatch T44 (quantity 4)
 - Flush deck hatch T60 (quantity 2)
- Hull portholes
 - Side fixe PMMA (quantity 6) with integrated opening porthole (quantity 8)

BOW LOCKERS

- Bow lockers with access through flush deck hatches with lock
- Wooden floor
- Grey painting
- Lighting

FOREPEAK COMPARTMENTS

- Air conditioned berth in port bow compartment, accessed via ladder with storage and USB socket
- Toilet, shower & sink in starboard bow compartment

INTERIOR

GENERALITIES

- · Construction in Alpi Walnut plywood, horizontal grain
- Plywood floor : ROVERE ASBURGO
- Finishing : UV varnish
- Leather/leatherette covered handrail
- · Fabric-covered plywood ceiling panels or fiberglass liners in cabins and heads

STANDING HEADROOM

- Salon 2.05m
- Cabin 2.00m
- Head 2.00m

MATTRESS AND UPHOLSTERY

- Marine mattresses made of multi-layer alveolar foam with several densities (tick.120mm)
- · Mattresses treatment: anti-microbial, anti-bacterial, non-allergenic, anti-dustmite
- Standard upholstery as indicated on Lagoon sample book
- Synthetic fabrics adapted to marine environment:
 - Washable (40°C)
 - U.V. resistant
 - Water repellent, with anti-stain treatment
- Blinds and curtains :
 - Pleated fabric curtains for salon
 - Blind model pleated-shade, blackout fabric for cabin
 - Roller blind in waterproof fabric for shower and head

SALON

- Access through sliding door
- Large sliding roof forward window
- Roller blinds

On port

L-shape galley area with:

- Corian top (WARM GREY)
- Sink with integrated drainrack in the worktop
- Hot/cold mixer tap
- Bottle rack (7 bottles)
- 4-bruner stove, gas
- Gas oven
- Storage under sink :
 - 1-door furniture with shelf
 - 1 cutlery drawer
 - 2 pan-drawer
- High storage furniture

SALON (Cont.)

On starboard

- Corian top (WARM GREY)
- High storage furniture
- 190 L stainless steel drawer fridge
- 110 L freezer
- Additional 110 L freezer in the starboard-side passageway
- Low storage furniture with 2 shelves behind door
- Microwave oven with grill
- CENTRAL FURNITURE
- Back : 1 storage niche + 1 bottle storage niche (6 bottles)
- Port : waste bin
- Starboard : storage behind door
- Front : top access storage, opening by flap
- FORWARD AREA
- U-Shape sofa
- Large wooden table
- Chart table on starboard

<u>ÙVOEÜÓUOEÜÖÁPWŠŠ</u>

AFT CABIN

- Double bed with lateral access (2.05m x 1.60)
- 2 bedside table + shelf running along the bulkhead, inboard and outboard side
- 1 under bed drawer
- Inboard side :
- 1 full height furniture with 1 shelf in upper part, 1 wardrobe and 1 shelf in lower part
- Outboard side :
 - 1 bookcase with 3 shelves in upper part + 1 furniture with 1 shelf behind door in lower part
- I opening flush deck hatch T44 above the bed
- I port hole and window in aft cabins with blind

AFT HEAD

- Corian top (CLAM SHELL)
- Integrated sink with hot/cold mixer tap
- · High storage furniture with shelf behind sliding door with mirror
- Low storage furniture with shelf behind double door
- Separated shower with Plexiglas door
- Composite shower grating
- Shampoo storage integrated in the composite shower block
- Fresh water electric head
- 1 opening flush deck hatch T10
- 1 fixed hull window in bathroom and 1 fixe hull window in PMMA with integrated opening porthole in shower

FORWARD CABIN

- Double bed with lateral access (2.05m x 1.50)
- 2 shelves running along the bulkhead, inboard and outboard side
- 1 under bed drawer
- Inboard side:
 - 1 bookcase with 3 shelves
 - 1 storage furniture with :
- 1 full height door with wardrobe
- I double door with shelves in upper part + 4 drawers in lowerpart
- Outboard side :
 - 1 full height door with wardrobe in upper part and 2 shelves in lower part
- 1 opening flush deck hatch T44 above the bed
- 1 opening flush deck hatch T10 in the wardrobe area
- 1 fixed hull window in PMMA with integrated opening porthole

Roller blinds

FORWARD HEAD

- Corian top (CLAM SHELL)
- Integrated sink with hot/cold mixer tap
- High storage furniture with shelf behind sliding door with mirror
- Low storage furniture with shelf behind double door
- Separated shower with Plexiglas door
- Composite shower grating
- Shampoo storage integrated in the composite shower block
- Fresh water electric head
- 1 opening flush deck hatch T10
- I fixed hull window in bathroom and I fixed hull window in PMMA with integrated opening porthole in shower

PORT HULL

AFT CABIN

- Double bed with lateral access (2.05m x 1.60)
- 2 bedside table + shelf running along the bulkhead, inboard and outboard side
- I under bed drawer
- Inboard side :
- 1 full height furniture with 1 shelf in upper part, 1 wardrobe and 1 shelf in lower part • Outboard side :
 - 1 bookcase with 3 shelves in upper part + 1 furniture with 1 shelf behind door in lower part
- I opening flush deck hatch above the bed
- Port hole and window in aft cabins with blind

FORWARD CABIN

- Double bed with lateral access (2.05m x 1.50)
- 2 shelves running along the bulkhead, inboard and outboard side
- I under bed drawer
- Inboard side :
 - 1 bookcase with 3 shelves
 - 1 storage furniture with :
 - 1 full height door with wardrobe
 - I double door with shelves in upper part + 4 drawers in lower part
- Outboard side :

- 1 full height door with wardrobe in upper part and 2 shelves in lower part

- I opening flush deck hatch T44 above the bed
- I opening flush deck hatch T10 in the wardrobe area
- I fixed hull window in PMMA with integrated opening porthole
- Roller blinds

FORWARD AND AFT BATHROOMS

- Access from companionway through wooden door
- Composite top with integrated sink
- High storage with mirror
- Low storage with shelves
- Integrated shower with pivoting wall
- Shampoo storage integrated in the composite shower block
- Fresh water electric head
- I opening flush deck hatch

MIDSHIP CABIN

- Access from companionway through wooden door
- Double bed with lateral access convertible in single bed
- Bedside table
- Storage/wardrobe
- Storage and shelves
- Sliding opening window from salon
- Natural ventilation under the platform

MIDSHIP HEAD

- Access from companionway through wooden door
- Composite top with integrated sink
- High storage with mirror
- Low storage with shelves
- Integrated shower with pivoting wall
- Shampoo storage integrated in the composite shower block
- Fresh water electric head
- 1 opening flush deck hatch

SAILS AND RIGGING

SAILS

- 1 high roach mainsail in Dacron with battens
- 1 self-tacking jib in Dacron on furler with UV protective band

RIGGING

- Anodized aluminum mast with mainsail track and ball-bearing
- 2 spreader rig
- Round section pillar, stainless steel mirror polishing
- Anodized aluminum boom
- 2 encased shrouds
- 1 forestay with furler for self-tacking jib
- Adjustable lazy-jacks
- Deck light on the mast

RIGGING

- Anodized aluminum mast with mainsail track and ball-bearing
- 2 spreader rig
- Round section pillar, stainless steel mirror polishing
- Anodized aluminum boom
- 2 encased shrouds
- I forestay with furler for self-tacking jib
- Adjustable lazy-jacks
- Deck light on the mast

RUNNING RIGGING

- 1 double purchase spectra mainsail halyard
- 1 spectra self-tacking jib halyard
- 1 mainsail sheet pre-stretched
- 1 self-tacking jib sheet pre-stretched
- I boom topping lift
- 3 reefing lines pre-stretched (1st dynema)
- I genoa furling line pre-stretched
- 2 mainsail traveler car control lines pre-stretched
- 1 self-tacking jib furler pennant pre-stretched
- 1 mainsail track pennant pre-stretched

HARDWARE

- 3 electric winches
- Mainsail track and ball-bearing
- 2 mainsail track rope clutch
- Track for jib sheet with rope clutch
- Anodized aluminum cross beam with mooring point for the jib furler and the davit

MOORING

- Composite longitudinal crossbeam with integrated chain run and mooring cleat
- 8 mooring cleats
- 2000W 12V electrical windlass with vertical axe, in mooring locker, chain 12mm
- Access to windlass and to anchor locker
- Primary and secondary anchors

ENGINE

- 2 diesel engines YANMAR 4JH80 80HP
- Engine panel
- Propeller : 3- blade fixed propeller 18x15
- Sea water filter
- Mechanical engine throttles at the helm station
- Ventilation of the engine compartment : electrical extraction in the aft transom
- Sound-proofing of the engine compartment
- Fuel circuit :
 - 2 aluminum tanks of 2 x 520 liters
 - Fuel filter systems
 - Fuel shut off valve
 - Gauge at the general control panel on touch screen
- Access to engine compartments through hatches with gas strut
- Fuel shut off valve under the berths of the aft cabins

PLUMBING

FRESH WATER CIRCUIT

- Fresh water tank : 2 x 240L under floor (gauge at the general control panel on touch screen)
- Fresh water circuit with 1 main water group 36L
- 100L electric water heater

GREY WATER

- Shower and washbasin drain to grey water tank and automatic pump
- Cockpit and salon grey water drain directly overboard
- Heads grey water: shower and washbasin grey waters drain to grey water box integrated in the composite shower tray. Dedicated unit pump.

BLACK WATER

- Black water tank: 2 x 120L, one tank by hull under floor
- Tank drain by electrical pump. Switch and gauge at chart table
- 3-way valve for manual draining in case of breakdown
- Manual sea water WC
- Filler on deck

BILGE PUMP SYSTEM

1 manual bilge pump by hull

- (Engine compartment and forepeak connection by valve)
- Location: 1 manual pump on starboard seat + 1 manual pump on port seat
- 1 automatic immersed bilge pump by hull + 1 sensor by sump
 - Bilge pump management at the at the general control panel at chart table
 - Alarm signal at chartable and flybridge

ELECTRONICS

- 12V DC POWER CIRCUIT
- 2 alternators 12V 80A
- 2 start batteries
- 6 Service batteries
- AGM batteries in lieu of acid batteries
- Battery breaker in the engine compartment (positive break only)

Double battery breaker board:

- Starboard: engine battery breaker + Coupling
- Port: engine battery breaker + service battery breaker
- 60 amp battery charger
- 2nd 40 amp battery charger
- General control panel 12V at chart table with circuit breaker protection
- USB sockets 12V included in the electrical panel
- USB sockets 12V at helm station (x2)
- USB sockets in salon and cabins
- Generator
- Inverter

LIGHTING

- Exterior lighting LED 12V
- Interior lighting LED 12V
- Navigation lights LED
- Deck courtesy lights in cockpits, transoms and flybridge
- Indirect lighting in cabins and salon
- Interior light monitoring at the nav. station

Underwater lights

- ENTERTAINMENT
- Fusion stereo system with speakers in salon, cockpit and fly
- Interior lighting LED 12V
- Navigation lights LED

NAVIGATION PACK

- I6" Zeus multifunction display at helm station
- 2 cameras under flybridge
- VHF
- 2nd VHF handset
- Wind, Depth, Speed
- Autopilot

COMFORT

- Fans in salon and cabins
- Reverse cycle air conditioning

SAFETY GEAR

- 6 fenders
- 4 dock lines
- 8 life jackets
- Safety harnesses
- Bell
- Flare Kit
- Binoculars
- Navigation tools: Parallel rule, compass, dividers

CRUISING GEAR

- Plates, cups, saucers, glasses per max pax
- Bed linens per max pax
- Flatware per max pax
- Pots, pans, miscellaneous food prep tools
- Cooking and serving utensils
- Snorkeling gear per max pax
- Towels and washcloths

DELIVERY & COMMISSIONING

- Antifouling Paint
- Delivery to charter port

SPECIFICATIONS

Length Overall: Waterline Length: Mast Height: Beam: Draft: Displacement: Fuel Capacity: Water Capacity: Sail Area: Engines: 14.75m/48ft 5in 14.31m/46ft 1in 26.51m/87ft 8.10m/26ft 7in 1.40m/4ft 7in 19914kg/43910lb 1040L/301gal 480L/127gal 152sqm/1701sqft 2 x 80HP

